

AL4360 Jasper DW



Date: 17.05.2018
Operator: PR


Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

GRIVEN AL4360USDW Jasper Ultra Spot DW sym / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 94 98 100 100 102

GRIVEN AL4360USDW Jasper Ultra Spot DW
sym

Article No.: AL4360USDW

Luminous flux (Luminaire): 16767 lm

Luminous flux (Lamps): 16483 lm

Luminaire Wattage: 195.0 W

Luminaire classification according to CIE: 100

CIE flux code: 94 98 100 100 102

Fitting: 1 x G3 (Correction Factor 1.000).


JASPER DW is a high performance luminaire, which houses 60 high power cold and warm white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for general and dynamic accent, spot or flood lighting of large areas owing to a wide selection of optical groups and a choice of optional fixing systems for surface mount or suspended applications. The pure white light spectrum intensity management creates a stunning visual rendering of warm tones, natural hues and cool shades altogether, thus offering an unmatched control over the creation of a vast range of the white light chromatic scale. . JASPER DW meets the latest design requirements and aesthetical prerequisites demanding for large round shaped powerful LED fixtures capable of delivering high level performances with a reduced power consumption. The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
 Via Bulgaria, 16
 46042 Castel Goffredo, MN, Italy

Operator PR
 Telephone 0376779483
 Fax 0376779682
 e-Mail griven@griven.com

GRIVEN AL4360USDW Jasper Ultra Spot DW sym / Cone Diagram

Luminaire: GRIVEN AL4360USDW Jasper Ultra Spot DW sym
 Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360SPDW Jasper Spot DW sym / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 98

Griven Srl AL4360SPDW Jasper Spot DW sym
Article No.: AL4360SPDW
Luminous flux (Luminaire): 18980 lm
Luminous flux (Lamps): 19865 lm
Luminaire Wattage: 195.0 W
Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 98
Fitting: 1 x G3 DW (Correction Factor 1.000).


JASPER DW is a high performance luminaire, which houses 60 high power cold and warm white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for general and dynamic accent, spot or flood lighting of large areas owing to a wide selection of optical groups and a choice of optional fixing systems for surface mount or suspended applications. The pure white light spectrum intensity management creates a stunning visual rendering of warm tones, natural hues and cool shades altogether, thus offering an unmatched control over the creation of a vast range of the white light chromatic scale. JASPER DW meets the latest design requirements and aesthetical prerequisites demanding for large round shaped powerful LED fixtures capable of delivering high level performances with a reduced power consumption. The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360SPDW Jasper Spot DW sym / Cone Diagram

Luminaire: Griven Srl AL4360SPDW Jasper Spot DW sym
Lamps: 1 x G3 DW




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360NADW Jasper Narrow DW sym / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 97 100 100 100 99

Griven Srl AL4360NADW Jasper Narrow DW
sym

Article No.: AL4360NADW

Luminous flux (Luminaire): 18080 lm

Luminous flux (Lamps): 18254 lm

Luminaire Wattage: 195.0 W

Luminaire classification according to CIE: 100

CIE flux code: 97 100 100 100 99

Fitting: 1 x G3 DW (Correction Factor 1.000).


JASPER DW is a high performance luminaire, which houses 60 high power cold and warm white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for general and dynamic accent, spot or flood lighting of large areas owing to a wide selection of optical groups and a choice of optional fixing systems for surface mount or suspended applications. The pure white light spectrum intensity management creates a stunning visual rendering of warm tones, natural hues and cool shades altogether, thus offering an unmatched control over the creation of a vast range of the white light chromatic scale. . JASPER DW meets the latest design requirements and aesthetical prerequisites demanding for large round shaped powerful LED fixtures capable of delivering high level performances with a reduced power consumption. The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360NADW Jasper Narrow DW sym / Cone Diagram

Luminaire: Griven Srl AL4360NADW Jasper Narrow DW sym
Lamps: 1 x G3 DW




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360MEDW Jasper Medium DW sym / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 96 99 99 100 99

Griven Srl AL4360MEDW Jasper Medium DW
sym

Article No.: AL4360MEDW

Luminous flux (Luminaire): 17953 lm

Luminous flux (Lamps): 18198 lm

Luminaire Wattage: 195.0 W

Luminaire classification according to CIE: 100

CIE flux code: 96 99 99 100 99

Fitting: 1 x G3 (Correction Factor 1.000).


JASPER DW is a high performance luminaire, which houses 60 high power cold and warm white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for general and dynamic accent, spot or flood lighting of large areas owing to a wide selection of optical groups and a choice of optional fixing systems for surface mount or suspended applications. The pure white light spectrum intensity management creates a stunning visual rendering of warm tones, natural hues and cool shades altogether, thus offering an unmatched control over the creation of a vast range of the white light chromatic scale. JASPER DW meets the latest design requirements and aesthetical prerequisites demanding for large round shaped powerful LED fixtures capable of delivering high level performances with a reduced power consumption. The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360MEDW Jasper Medium DW sym / Cone Diagram

Luminaire: Griven Srl AL4360MEDW Jasper Medium DW sym
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360WIDW Jasper Wide DW sym / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 96 99 100 100 98

Griven Srl AL4360WIDW Jasper Wide DW sym
Article No.: AL4360WIDW
Luminous flux (Luminaire): 18042 lm
Luminous flux (Lamps): 18376 lm
Luminaire Wattage: 195.0 W
Luminaire classification according to CIE: 100
CIE flux code: 96 99 100 100 98
Fitting: 1 x G3 DW (Correction Factor 1.000).

JASPER DW is a high performance luminaire, which houses 60 high power cold and warm white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for general and dynamic accent, spot or flood lighting of large areas owing to a wide selection of optical groups and a choice of optional fixing systems for surface mount or suspended applications. The pure white light spectrum intensity management creates a stunning visual rendering of warm tones, natural hues and cool shades altogether, thus offering an unmatched control over the creation of a vast range of the white light chromatic scale. JASPER DW meets the latest design requirements and aesthetical prerequisites demanding for large round shaped powerful LED fixtures capable of delivering high level performances with a reduced power consumption. The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.


Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360WIDW Jasper Wide DW sym / Cone Diagram

Luminaire: Griven Srl AL4360WIDW Jasper Wide DW sym

Lamps: 1 x G3 DW




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360EWDW Jasper Extrawide DW sym / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 89 99 100 100 105

Griven Srl AL4360EWDW Jasper Extrawide DW
sym

Article No.: AL4360EWDW
Luminous flux (Luminaire): 19377 lm
Luminous flux (Lamps): 18434 lm
Luminaire Wattage: 195.0 W

Luminaire classification according to CIE: 100
CIE flux code: 89 99 100 100 105
Fitting: 1 x G3 DW (Correction Factor 1.000).


JASPER DW is a high performance luminaire, which houses 60 high power cold and warm white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for general and dynamic accent, spot or flood lighting of large areas owing to a wide selection of optical groups and a choice of optional fixing systems for surface mount or suspended applications. The pure white light spectrum intensity management creates a stunning visual rendering of warm tones, natural hues and cool shades altogether, thus offering an unmatched control over the creation of a vast range of the white light chromatic scale. JASPER DW meets the latest design requirements and aesthetical prerequisites demanding for large round shaped powerful LED fixtures capable of delivering high level performances with a reduced power consumption. The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360EWDW Jasper Extrawide DW sym / Cone Diagram

Luminaire: Griven Srl AL4360EWDW Jasper Extrawide DW sym
Lamps: 1 x G3 DW




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360ELDW Jasper Elliptical DW sym / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 96 99 99 100 97

Griven Srl AL4360ELDW Jasper Elliptical DW
sym

Article No.: AL4360ELDW

Luminous flux (Luminaire): 17363 lm

Luminous flux (Lamps): 17944 lm

Luminaire Wattage: 195.0 W

Luminaire classification according to CIE: 100

CIE flux code: 96 99 99 100 97

Fitting: 1 x G3 DW (Correction Factor 1.000).


JASPER DW is a high performance luminaire, which houses 60 high power cold and warm white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for general and dynamic accent, spot or flood lighting of large areas owing to a wide selection of optical groups and a choice of optional fixing systems for surface mount or suspended applications. The pure white light spectrum intensity management creates a stunning visual rendering of warm tones, natural hues and cool shades altogether, thus offering an unmatched control over the creation of a vast range of the white light chromatic scale. JASPER DW meets the latest design requirements and aesthetical prerequisites demanding for large round shaped powerful LED fixtures capable of delivering high level performances with a reduced power consumption. The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360ELDW Jasper Elliptical DW sym / Cone Diagram

Luminaire: Griven Srl AL4360ELDW Jasper Elliptical DW sym
Lamps: 1 x G3 DW




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360WLDW Jasper Elliptical Wide DW sym / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 96 99 100 100 95

Griven Srl AL4360WLDW Jasper Elliptical Wide
DW sym
Article No.: AL4360WLDW
Luminous flux (Luminaire): 15431 lm
Luminous flux (Lamps): 16319 lm
Luminaire Wattage: 195.0 W
Luminaire classification according to CIE: 100
CIE flux code: 96 99 100 100 95
Fitting: 1 x G3 DW (Correction Factor 1.000).

JASPER DW is a high performance luminaire, which houses 60 high power cold and warm white LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for general and dynamic accent, spot or flood lighting of large areas owing to a wide selection of optical groups and a choice of optional fixing systems for surface mount or suspended applications. The pure white light spectrum intensity management creates a stunning visual rendering of warm tones, natural hues and cool shades altogether, thus offering an unmatched control over the creation of a vast range of the white light chromatic scale. JASPER DW meets the latest design requirements and aesthetical prerequisites demanding for large round shaped powerful LED fixtures capable of delivering high level performances with a reduced power consumption. The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4360WLDW Jasper Elliptical Wide DW sym / Cone Diagram

Luminaire: Griven Srl AL4360WLDW Jasper Elliptical Wide DW sym
Lamps: 1 x G3 DW

