

Ruby MC RGBW




Date: 04.06.2018
Operator: PR

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980SPRW RUBY MC RGBW SPOT sym / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 105

Griven Srl AL4980SPRW RUBY MC RGBW
SPOT sym
Article No.: AL4980SPRW
Luminous flux (Luminaire): 1612 lm
Luminous flux (Lamps): 1549 lm
Luminaire Wattage: 57.0 W
Luminaire classification according to CIE: 100
CIE flux code: 98 100 100 100 105
Fitting: 1 x 559-QL18-S01 LED (Correction
Factor 1.000).


RUBY MC RGBW is a newly engineered, medium-sized rounded spotlight which houses six high power RGBW full colour LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for spot lighting and wall grazing owing to the wide selection of exchangeable optics groups available, ranging from spot aperture beams to wide distribution. The combination of RGBW LEDs provides an unprecedented astonishing white light output quality, as well as a wider variety of intermediate colour hues for an even broader range of application purposes. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980SPRW RUBY MC RGBW SPOT sym / Cone Diagram

Luminaire: Griven Srl AL4980SPRW RUBY MC RGBW SPOT sym
Lamps: 1 x 559-QL18-S01 LED




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980NARW RUBY MC RGBW NARROW sym / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 97 99 100 100 103

Griven Srl AL4980NARW RUBY MC RGBW
NARROW sym
Article No.: AL4980NARW
Luminous flux (Luminaire): 1526 lm
Luminous flux (Lamps): 1497 lm
Luminaire Wattage: 57.0 W
Luminaire classification according to CIE: 100
CIE flux code: 97 99 100 100 103
Fitting: 1 x LED (Correction Factor 1.000).


RUBY MC RGBW is a newly engineered, medium-sized rounded spotlight which houses six high power RGBW full colour LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for spot lighting and wall grazing owing to the wide selection of exchangeable optics groups available, ranging from spot aperture beams to wide distribution. The combination of RGBW LEDs provides an unprecedented astonishing white light output quality, as well as a wider variety of intermediate colour hues for an even broader range of application purposes. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980NARW RUBY MC RGBW NARROW sym / Cone Diagram

Luminaire: Griven Srl AL4980NARW RUBY MC RGBW NARROW sym
Lamps: 1 x LED



Distance [m] Cone Diameter [m] Illuminance [lx]


- C0 - C180 (Half-value Angle: 9.0°)
- C90 - C270 (Half-value Angle: 9.8°)

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980MERW RUBY MC RGBW MEDIUM sym / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 97 99 100 100 105

Griven Srl AL4980MERW RUBY MC RGBW
MEDIUM sym
Article No.: AL4980MERW
Luminous flux (Luminaire): 1531 lm
Luminous flux (Lamps): 1470 lm
Luminaire Wattage: 57.0 W
Luminaire classification according to CIE: 100
CIE flux code: 97 99 100 100 105
Fitting: 1 x LED (Correction Factor 1.000).


RUBY MC RGBW is a newly engineered, medium-sized rounded spotlight which houses six high power RGBW full colour LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for spot lighting and wall grazing owing to the wide selection of exchangeable optics groups available, ranging from spot aperture beams to wide distribution. The combination of RGBW LEDs provides an unprecedented astonishing white light output quality, as well as a wider variety of intermediate colour hues for an even broader range of application purposes. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980MERW RUBY MC RGBW MEDIUM sym / Cone Diagram

Luminaire: Griven Srl AL4980MERW RUBY MC RGBW MEDIUM sym
Lamps: 1 x LED




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980WIRW RUBY MC RGBW WIDE sym / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 96 99 100 100 104

Griven Srl AL4980WIRW RUBY MC RGBW
WIDE sym

Article No.: AL4980WIRW

Luminous flux (Luminaire): 1512 lm

Luminous flux (Lamps): 1457 lm

Luminaire Wattage: 57.0 W

Luminaire classification according to CIE: 100

CIE flux code: 96 99 100 100 104

Fitting: 1 x LED (Correction Factor 1.000).


RUBY MC RGBW is a newly engineered, medium-sized rounded spotlight which houses six high power RGBW full colour LEDs, as well as in-built electronics and power supply unit. This stylish and versatile fixture is ideal for spot lighting and wall grazing owing to the wide selection of exchangeable optics groups available, ranging from spot aperture beams to wide distribution. The combination of RGBW LEDs provides an unprecedented astonishing white light output quality, as well as a wider variety of intermediate colour hues for an even broader range of application purposes. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator PR
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven Srl AL4980WIRW RUBY MC RGBW WIDE sym / Cone Diagram

Luminaire: Griven Srl AL4980WIRW RUBY MC RGBW WIDE sym
Lamps: 1 x LED



Distance [m] Cone Diameter [m] Illuminance [lx]

- C0 - C180 (Half-value Angle: 36.4°)
- C90 - C270 (Half-value Angle: 36.8°)