

SCENIUS PROFILE


- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES

Legenda Diameter 10%-50%: valori del diametro del fascio luminoso corrispondenti al 10% e 50% dell'illuminamento massimo.
Key Diameter 10%-50%: beam diameter for 10% and 50% of maximum illumination.
Légende Diameter 10%-50%: valeurs du diamètre du faisceau lumineux correspondant à 10% et 50% de l'éclairage maximum.
Legende Diameter 10%-50%: Lichtkreis-Durchmesser bei 10% bzw. 50% maximaler Ausleuchtung.
Leyenda Diameter 10%-50%: valores del diámetro del haz luminoso correspondientes al 10% y 50% de la iluminación máxima.

FULL POWER MODE (1400W)


Minimum Zoom (7°)

Total Output: 17310 lumens - 1400W POWER MODE



Minimum Zoom with Light Frost (7°)


Total Output: 14920 lumens - 1400W POWER MODE



SCENIUS PROFILE

- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES


Minimum Zoom with Heavy Frost (8.3° 10% - 5.8° 50%) Total Output: 14230 lumens - 1400W POWER MODE



Distance	m (ft in)	0	5 (16' 5")	10 (32' 10")	15 (49' 3")	20 (65' 7")
Diameter 10%	m (ft in)	0	0.73 (2' 5")	1.45 (4' 9")	2.18 (7' 2")	2.90 (9' 6")
Diameter 50%	m (ft in)	0	0.51 (1' 8")	1.01 (3' 4")	1.52 (5' 0")	2.02 (6' 8")

Maximum Zoom (47.2°)

Total Output: 24200 lumens - 1400W POWER MODE




Distance	m (ft in)	0	5 (16' 5")	10 (32' 10")	15 (49' 3")	20 (65' 7")
Diameter	m (ft in)	0	4.37 (14' 4")	8.73 (28' 8")	13.10 (43' 0")	17.47 (57' 4")

SCENIUS PROFILE

- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES


Maximum Zoom with Light Frost (47.2°)

Total Output: 21480 lumens - 1400W POWER MODE



Maximum Zoom with Heavy Frost (52.7° 10% - 42.1° 50%)

Total Output: 20460 lumens - 1400W POWER MODE



SCENIUS PROFILE


- I** DIAGRAMMI FOTOMETRICI
- GB** PHOTOMETRIC DIAGRAMMS
- F** DIAGRAMMES PHOTOMETRIQUES

- D** FOTOMETRICHE DIAGRAMME
- E** DIAGRAMOS FOTOMÉTRICOS

1200W POWER MODE


Minimum Zoom (7°)

Total Output: 14580 lumens - 1200W POWER MODE



Minimum Zoom with Light Frost (7°)

Total Output: 12850 lumens - 1200W POWER MODE




SCENIUS PROFILE

- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES

Minimum Zoom with Heavy Frost (8.5° 10% - 5.3° 50%)


Total Output: 12140 lumens - 1200W POWER MODE



Distance	m (ft in)	0	5 (16' 5")	10 (32' 10")	15 (49' 3")	20 (65' 7")
Diameter 10%	m (ft in)	0	0.75 (2' 5")	1.49 (4' 11")	2.24 (7' 4")	2.98 (9' 9")
Diameter 50%	m (ft in)	0	0.47 (1' 6")	0.93 (3' 1")	1.40 (4' 7")	1.86 (6' 1")

Maximum Zoom (47.2°)

Total Output: 21000 lumens - 1200W POWER MODE



Distance	m (ft in)	0	5 (16' 5")	10 (32' 10")	15 (49' 3")	20 (65' 7")
Diameter	m (ft in)	0	4.37 (14' 4")	8.73 (28' 8")	13.10 (43' 0")	17.47 (57' 4")


SCENIUS PROFILE

- I** DIAGRAMMI FOTOMETRICI
- GB** PHOTOMETRIC DIAGRAMMS
- F** DIAGRAMMES PHOTOMETRIQUES

- D** FOTOMETRICHE DIAGRAMME
- E** DIAGRAMOS FOTOMÉTRICOS


Maximum Zoom with Light Frost (47.2°)

Total Output: 18780 lumens - 1200W POWER MODE



Maximum Zoom with Heavy Frost (54.8° 10% - 41.6° 50%)

Total Output: 18130 lumens - 1200W POWER MODE



SCENIUS PROFILE

- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES

