

AL4050 Jade 16 CW and WW




Date: 04.03.2019
Operator: RV

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050NACW Jade 16 Narrow Cold White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 95 99 100 100 98

Luminous flux (Lamps): 2906 lm
Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
 Via Bulgaria, 16
 46042 Castel Goffredo, MN, Italy

Operator RV
 Telephone 0376779483
 Fax 0376779682
 e-Mail griven@griven.com

Griven srl AL4050NACW Jade 16 Narrow Cold White / Cone Diagram

Luminaire: Griven srl AL4050NACW Jade 16 Narrow Cold White
 Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050MECW Jade 16 Medium Cold White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 96 99 100 100 100


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050MECW Jade 16 Medium Cold White / Cone Diagram

Luminaire: Griven srl AL4050MECW Jade 16 Medium Cold White
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050WICW Jade 16 Wide Cold White / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 85 98 100 100 99

Luminous flux (Lamps): 2764 lm
Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050WICW Jade 16 Wide Cold White / Cone Diagram

Luminaire: Griven srl AL4050WICW Jade 16 Wide Cold White
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050EWCW Jade 16 Extra Wide Cold White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 85 97 100 100 98

Luminous flux (Lamps): 2931 lm
Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050EWCW Jade 16 Extra Wide Cold White / Cone Diagram

Luminaire: Griven srl AL4050EWCW Jade 16 Extra Wide Cold White
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050ELCW Jade 16 Elliptical Cold White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 95 99 100 100 101

Luminous flux (Lamps): 3048 lm
Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050ELCW Jade 16 Elliptical Cold White / Cone Diagram

Luminaire: Griven srl AL4050ELCW Jade 16 Elliptical Cold White
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050WLCW Jade 16 Elliptical Wide Cold White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100

CIE flux code: 87 98 100 100 100

Luminous flux (Lamps): 3214 lm

Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050WLCW Jade 16 Elliptical Wide Cold White / Cone Diagram

Luminaire: Griven srl AL4050WLCW Jade 16 Elliptical Wide Cold White
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050NAWW Jade 16 Narrow Warm White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 95 99 100 100 98

Luminous flux (Lamps): 2885 lm
Luminaire Wattage: 38.0 W

JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\


Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050NAWW Jade 16 Narrow Warm White / Cone Diagram

Luminaire: Griven srl AL4050NAWW Jade 16 Narrow Warm White

Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050MEWW Jade 16 Medium Warm White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100

CIE flux code: 96 99 100 100 100

Luminous flux (Lamps): 2885 lm

Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050MEWW Jade 16 Medium Warm White / Cone Diagram

Luminaire: Griven srl AL4050MEWW Jade 16 Medium Warm White
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050WIWW Jade 16 Wide Warm White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 85 98 100 100 99

Luminous flux (Lamps): 2597 lm
Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050WIWW Jade 16 Wide Warm White / Cone Diagram

Luminaire: Griven srl AL4050WIWW Jade 16 Wide Warm White
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050EWW Jade 16 Extra Wide Warm White / Luminaire Data Sheet



Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 85 97 100 100 98

Luminous flux (Lamps): 2754 lm
Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050EWWW Jade 16 Extra Wide Warm White / Cone Diagram

Luminaire: Griven srl AL4050EWWW Jade 16 Extra Wide Warm White
Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050ELWW Jade 16 Elliptical Warm White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 95 99 100 100 101

Luminous flux (Lamps): 2864 lm
Luminaire Wattage: 38.0 W


JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
 Via Bulgaria, 16
 46042 Castel Goffredo, MN, Italy

Operator RV
 Telephone 0376779483
 Fax 0376779682
 e-Mail griven@griven.com

Griven srl AL4050ELWW Jade 16 Elliptical Warm White / Cone Diagram

Luminaire: Griven srl AL4050ELWW Jade 16 Elliptical Warm White
 Lamps: 1 x G3




Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050WLRW Jade 16 Elliptical Wide Warm White / Luminaire Data Sheet

Luminous emittance 1:



Luminaire classification according to CIE: 100
CIE flux code: 87 98 100 100 100

Luminous flux (Lamps): 3021 lm
Luminaire Wattage: 38.0 W

JADE 16 W is a newly engineered rounded spotlight which houses sixteen high power warm or cold white LEDs, as well as in-built electronics and power supply unit. Providing an impressive white light output from such a compact chassis, JADE 16 W features functional efficiency whereas spectacularly dynamic lighting performance is assured by digital control of all functions, either onboard for standalone operation, with Master-Slave selectable for multiple unit synchronization, or from external DMX512 controller. In order to access functions like DMX addressing, stand-alone operations and DMX channels configuration you must use our Infrared Remote Control (Code Ref. AL1321). The cool or warm white LEDs set-up offers an unprecedented white light output. The wide choice of selectable optics groups, ranging from narrow aperture beams to elliptical wide distribution, and the aiming orientation adjustment further enhance JADE 16 W maximum flexibility for any surface mount application purpose. JADE 16 W Polar Edition features an integrated de-icing system with electrically heated glass, which assures a comfortable functioning even in the utmost severe cold weather conditions.\

Griven S.r.l.
Via Bulgaria, 16
46042 Castel Goffredo, MN, Italy

Operator RV
Telephone 0376779483
Fax 0376779682
e-Mail griven@griven.com

Griven srl AL4050WLRW Jade 16 Elliptical Wide Warm White / Cone Diagram

Luminaire: Griven srl AL4050WLRW Jade 16 Elliptical Wide Warm White
Lamps: 1 x G3

